




华山计划

免费下载
Free Download




餐叉
Dinner fork



餐刀
Dinner knife



勺
Spoon



椅子
Chair

《华山计划》

2008年开始研磨一些桌、椅、小几以及各种的日常物件，时至今日已极尽消逝的临界点，遂铸成青铜凝固这个时间的结点，以纪念这个意义和价值转移或升华的片刻，过去关于它们现实功能的定义几乎完全消失，而逝去的时间在此固化为触手可及的精神存在，进而揭开一系列未来生活方式的可能

'Huashan' Project

I have started to grind some tables, chairs, tabourets and various daily object since 2008, and they are at the vanishing point today. I bronze them to solidify the time and to commemorate the moment when meaning and value is transferring and sublimating. The definition on their reality function of past has almost completely disappeared, and the lost of time has solidified into the spirit exists at hand, then the possibilities of series of future life-style has been revealed.






悬丝计

免费下载
Free Download

悬丝计是以静心组装的大量的树枝形式表现的，也悬挂在天花板上……使用滑轮和杠杆可以让木偶变得活灵活现起来，就像用绳子操纵它们一样。
“是树跳给观众看的舞蹈。”
此时，这就是自我救赎：史金淞给树带去了生命。



Suspension Strategy Free Download

Suspension Strategy is based on a form of a large number of meditation assembling branches, which are suspended from the ceiling as well. Using pulleys and levers can make the puppets showing up like manipulating them with rope. "The trees dance to the audience." At this point, it's self-redemption; Shi Jinsong has brought life to the trees.



www.shijinsong.org

悬丝计制作方法

- 一 采集的材质不强韧，任何材质都可采集，但需避免有毒、腐朽、发霉等有害材质的使用。
- 二 可自由塑造形体，用钢丝悬挂于一定高度并向四周伸展蔓延。
- 三 连接方式
将树枝的头加工成半圆面，用不锈钢羊眼螺钉作为基本固定点，如图中A，两个羊眼之间使用圆环连接如图B。
将树枝的侧头用圆钢绞线固定在羊眼螺钉上，如图C、D、E，圆钢绞线再分割成连接性和控制性，如图D、E。
电机应选用轻型的低速电机，旋转速度不可超过每分钟20转。电机带动树枝摆动。

Making method

1. Collecting various kinds of tree branches, but avoid insect damaged, decayed and mouldy tree branches.
2. All the tree branches can be randomly assembled. Hanging them from ceiling and stretching out into space.
3. Connection Method
Making the head of tree branches domed. Using stainless steel eye bolts screws as fundamental fixed support (IMG A). Putting ring between two eye bolts (IMG B).

The fastener will connect wires that hold on branches with eyeball screws (IMG C, E). Securing they all been fixed and then connecting to tree branches and ceiling (IMG D, E).

Selecting light and low speed electric motor which the speed should be less than 20 rotation per minute. The motor will enable all the tree branches dancing.

A 挂钩固定 screw installation



C 顶部钢丝固定 Top steel wire lock



E 侧丝固定




G 电动机固定 motor installation





云居·营造法图集
客厅里的园林，
在钢筋混凝土的盒子里
营造山水生活...

淞艺博



玉玲珑
靠椅
不锈钢骨架 山羊皮
狐狸毛皮

Shi Jinsong' s Art Fair First Stop
Living in the cloud construction law drawing
Introduction:the garden in the living room,
building a landscape live style in
a reinforced concrete box

Yu Linglong
Material: Stainless steel
framework, goat leather,
fox leather

淞艺博

云居·普通法图集

客厅里的园林，

在钢筋混凝土的盒子里

营造山水生活...



工具 皮革 再生海绵 海绵胶 锯刀 打磨工具

工序

一下料用再生海绵和金属骨架配合 搭建云居的大形体

二 对大形体进行切割和具体的造型

三 制作和固定底座 安装脚轮

四 外套打版放样 立体裁剪使版型缝线更贴合形体关系

五 裁皮缝制外套

六 拍皮完成



Klippe

Material: Leather of Rabbit
and Cow

Tool

leather, renewable sponge, sponge adhesive tape, saw, polish tool

Production Procedure

1 Preparation of materials; Using renewable sponge and metal framework to build the fundamental materials

2 Incising and sculpting fundamental materials (renewable sponge)

3 Making and fixing the chassis; installing trundles

4 Drafting cover pattern and draping the leather to match the shape and structure of sofa.

5 Cutting the leather into pieces and tailoring them to a perfectly matched cover.

6 Palpable paper crafts and finish the production.

Shi Jinsong's Art Fair First Step

Living in the cloud construction law drawing

Introduction: the garden in the living room.

building a landscape live style in a reinforced concrete box

飞来峰
材质 兔毛皮
牛皮

冠云峰
沙发
织物 再生海绵



淞艺博


云居·营造法图集

客厅里的园林，
在钢筋混凝土的盒子里
营造山水生活。· · ·



Fold Peak
Material: Sofa, fabric, renewable sponge

冠云峰
扶手沙发
小牛皮 金属骨架
符合人体工程学的尺度



Corona Peak
Material: Armrest sofa
cow leather, metal
framework, organic
scale

独秀
小凳
天然绵羊皮
再生海绵



Du Xiu
small stool, natural sheep
leather, renewable sponge

Shi Jinsong's Art Fair First Stop
Living in the cloud construction law drawing

浮玉山
组合沙发
防水牛皮
再生海绵
不锈钢骨架

淞艺博

云居·普通法图集


客厅里的园林·

在钢筋混凝土的盒子里
营造山水生活···



沙发茶几

符合人体工程学的尺度



段椅
小凳
防水牛皮
再生海绵

座椅
小凳
防水牛皮
再生海绵

瑞云峰
茶几
防水牛皮
再生海绵

瑞云峰
茶几
防水牛皮
再生海绵

Duanji
Materials: Small stool, waterproof cow leather,
renewable sponge

Yinghui
Materials: Small stool, waterproof cow leather,
renewable sponge

Haiyun Peak
Materials: Tea table, waterproof cow
leather, renewable sponge

Shi Jinsong's Art Fair First Stop
Living in the cloud construction law drawing

Xinyun Peak
Materials: Tea table, waterproof
cow leather, renewable sponge


Introduction: the garden in the living room,
building a landscape live style in a reinforced concrete box

Fuyun Peak
Materials: Combined with
waterproof leather
renewable sponge
stainless steel framework



哈克龙
HALONG-KELLONG
免费下载
Free Download

NO.1



前车架



转向连接件



发动机架



后车架



前挡泥板



后挡泥板



储物架



挡泥板防撞器



双铧犁控制杆



驾驶员踏板



乘客踏板



双铧犁（农具）



起动机



柴油发动机



柴油箱



排气管



乘客座椅



主动轮



传动链条



从动轮



换挡器



驾驶员座椅



前轮组



轮胎



轮毂



后轮组



轮毂



转向总成



车把固定器



减震器



把手刹车总成



车把杆



车载卡拉OK



车载音响



后转向灯组



农具警示灯组



警示喇叭



照明灯组



转向灯组



空气压缩机



散热器




散热器



哈克龙
HALONG-KELLONG
免费下载
Free Download


NO.2



前车架



转向连接件



后车架



发动机架




驾驶员踏板



前挡泥板



后挡泥板



挡泥板防撞器



乘客座椅



驾驶员座椅



起动机



柴油发动机



柴油箱




副油箱



排气管



主动轮



传动链条



从动轮



换档器



刹车踏杆



踏杆



前轮组



轮胎




轮毂



后轮组



轮毂



食品保温箱



食品保温箱



咖啡器具



磨豆机



水壶



餐具



碗



茶壶



冰桶



转向总成



减震器




转向主杆



把手刹车总成




车把杆



铁锹 (农具)



斧子 (农具)



曲辕犁 (农具)



后转向灯组



转向灯组



警示喇叭



低音炮



娱乐系统控制器



照明灯组



农具警示灯组



空气压缩机




音响功放




视频播放器




哈克龙
HALONG-KELLONG
免费下载



发动机架



前车架



后车架



前挡泥板



高音但愿



中控



重低音



双铧犁控制杆



驾驶员踏板



散热器



手柄



双铧犁（农用工具）



起动机



柴油发动机



柴油箱



排气管



乘客座椅



主动轮



传动链条



从动轮



换档器



驾驶员座椅



前轮组



轮胎



轮毂



后轮组



轮毂



转向总成



车把固定器



减震器



车把杆



把手刹车总成



车载卡拉OK



车载音响



后转向灯组



农具警示灯组



警示喇叭



照明灯组



转向灯组



空气压缩机



散热器




散热器



散松集

免费下载
Free Download



作品制作方法

收集各种树枝，剥皮后露出木质的肌理。

回收各种的金属及塑料等可熔器物，冶炼成合金材料，如镍铝合金，铜铝锌合金，甚至铜铁银合金等。

将收集的各类树枝、树杆、树根等铸造成各种规格散松零件。

连接采用切口对接，螺丝固定的方法。

需要金属零件的地方，需要向史金淞工作室定制零件。

Making method

Collecting various branches and peeling the barks to appear wooden texture.

Gathering metals, plastics and other fusible artifacts and smelting them to alloy materials, such as nickel aluminum alloy, copper and aluminum zinc alloy, or copper iron silver alloy.

The collected tree branches, roots and trunks will be casted as parts.

Assembling each parts by incision docking or screw.

All metal parts can be ordered from Shi Jinsong Studio




散松集

免费下载
Free Download


树干需要谨慎的剥除外皮，以防止破坏树干表面的原始肌理。
The tree bark needs to be carefully peeled in case of damaging the original shape of the trunk.



树干
Trunk
No.001




树干
Trunk
No.002



树干
Trunk
No.003



树干
Trunk
No.005




树干
Trunk
No.004



树干
Trunk
No.006



树干
Trunk
No.007



树干
Trunk
No.008



树干
Trunk
No.009




树干
Trunk
No.010




树干
Trunk
No.011



树根
Tree stump
No.001



树根
Tree stump
No.002




树根
Tree stump
No.001



散松集

免费下载
Free Download



树枝
Branch
№.011



树枝
Branch
№.012




树枝
Branch
№.013



树枝
Branch
№.014



树枝
Branch
№.015



树枝
Branch
№.016



树枝
Branch
№.017



树枝
Branch
№.018



树枝
Branch
№.019



树枝
Branch
№.020



树枝
Branch
№.021



树枝
Branch
№.022



树枝
Branch
№.023



树枝
Branch
№.024



树枝
Branch
№.025



树枝
Branch
№.026



散松集

免费下载
Free Download



树枝
Branch
№.027



树枝
Branch
№.028



树枝
Branch
№.029



树枝
Branch
№.030



树枝
Branch
№.031



树枝
Branch
№.032



树枝
Branch
№.033



树枝
Branch
№.034



树枝
Branch
№.035



树枝
Branch
№.036



树枝
Branch
№.037



树枝
Branch
№.038



树枝
Branch
№.039



树枝
Branch
№.040



树枝
Branch
№.041



树枝
Branch
№.042



树枝
Branch
№.043



树枝
Branch
№.044



树枝
Branch
№.045



树枝
Branch
№.046



树枝
Branch
№.047



树枝
Branch
№.048



树枝
Branch
№.049



树枝
Branch
№.050



树枝
Branch
№.051



树枝
Branch
№.052



树枝
Branch
№.053



树枝
Branch
№.054



树枝
Branch
№.055




树枝
Branch
№.056




散松集

免费下载
Free Download




松针
Pine needle

“松针”可以使用任何树木的细枝条剥皮制作，强度视所选树种而定
“Pine needles” can be artificially made by any appropriate wood or similar tree branches.




松针组
Pine needle group
No.001

“松针”组是使用“松针”插在打过孔的圆头木块制作的
“Pine Needles” are inserted into the holes on the surface of punched round wood.



松针组
Pine needle group

“松针”组制作过程，图中是未完成的状态
可看到打过孔的圆头木块的具体形式
The process of making “Pine Needles” Unfinished “Pine Needles”
Being punched Round wood



树枝
Branch
No.001



树枝
Branch
No.002




树枝
Branch
No.003



树枝
Branch
No.004



树枝
Branch
No.005



树枝
Branch
No.006



树枝
Branch
No.007



树枝
Branch
No.008



树枝
Branch
No.009



树枝
Branch
No.010



灰 道

免费下载
Free Download


《灰道》

继台北灰和武汉灰之后，史金淞相信每一段情感每一个故事都终将消磨为一抹尘埃，凝炼出一个独立的灰度色相。灰色是非知识性的、非标准性的，是一种关系中的色彩，是在知识狭缝中可容纳的情感。灰色有态度，也有温度。

我们将以此制造出一组以人性人情为基础的色相和色谱——灰道，并进入市场发行，直接参与到受众的绘画活动之中。

The Doctrine of Grey

After The Taipei Gray and the Wuhan Grey, Shi jinsong believes that every emotion and story will eventually end into dust ,condensing into a independence gray hue. Grey is non-informative, non-standard, and it's a relationship of colors, it's the emotion outside the scope of knowledge. Gray has attitude and temperature. We will create a set of the color hue and the color spectrum-the The Doctrine of Grey based on the humanity and then make them into the market that can participate in audience activities of painting directly.



请收集你记忆深处的那些挥之不去的尘埃，微拂轻扫，慢慢聚集。
Please collect the unmovable dust from your deepest memories, sweep lightly and gather slowly.